



Dart Hawkesbury
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

D3940-1L02
Job Sheet 166399



Part No: D3940-1L02

Job Qty: 1 ea

Part Name: Floor Protector - Passenger Black



Part Weight: 0 lbs

Status: Scheduled

Priority: Medium

Job Created: 10/6/17

Job Tracking No:

Due Date: 10/20/17

Created By: Marie Lajeunesse

Type: Stock

Description:

Customer: Churchill Falls (Labrador Corp) Nalcor Energy (CCHUR01)

Hydro Place, 500 Columbus Drive, Box 12500 St John's, NL, A1B 3T5 Canada ph:(709) 737-1398

Note: DWG REV B IPP Rev. A color added to D3940-1 14/07/02DL

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Due Date	Standard		Workcenter/Supplier	
				Setup hrs	Run Hrs	Workcenter / Supplier	Lead Time
90	Start up Operation	1 Ea	10/20/17	0.00	0.00	Start up container	✓
110	Purchasing	1 pcs	10/20/17	0.00	0.00	Purchasing	✓
140	Packaging	1 pcs	10/20/17	0.00	0.00	Packaging2	✓ DAS
150	QC	1 pcs	10/20/17	0.00	0.00	QC6	38
170	Packaging	1 pcs	10/20/17	0.00	0.00	Packaging3	9-89
180	QC21-SA	1 Ea	10/20/17	0.00	0.00	QC21	

Part Op 110 - ISSUE P/O: _____ SUPPLIER: PLASTE CB MANUFACTURE D3940-1L02 AS PER DWG C OF
Descriptions: C IS REQUIRED

Job Allocations

Operation	Component Part	Required	Inventory	Allocated	Std Qty
90-Start up Operation	D3940-1L02P	1	0	0	0

Part Specifications

Specifications could not be found.

Plex 10/6/17 2:19 PM Dart.lajeunesse.marie

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																						
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																						
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																						
Large Fab ☐	Composite ☐	Supplier ☐																							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																		
Description Work Order Deviation				Disposition				Completed By																	
								Lead hand / Supervisor Approval Verification																	
										QC / QA Coordinator Approval															
Root Cause		FAULT CATEGORY																							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	OTHER : ☐																			

37815

Work Order ID 166399

166399

Wednesday, September 20, 2017 10:19:57 A

Item ID: D3940-1L02 Accept *N900040100* Setup Start *NS1*
Revision ID: Stop *NS2*
Item Name: Floor Protector - Passenger Black
Start Date: 9/21/2017 Start Qty: 1.00 *1* Cust Item ID:
Required Date: 9/26/2017 Req'd Qty: 1.00 *1* Customer:
Reference:

Approvals: Process Plan:  Date: SEP 20 2017 Tooling: Date: Run Start *NR1*
QC: Date: SPC (Y/N): Date: Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3940	B								
110	THERMOFORMING MACHINE	0.00							
110									
Purchasing	Memo	0.00							
Purchasing	ISSUE P/O: 37815								
	SUPPLIER: PLASTECH								
	MANUFACTURE D3940-1L02 AS PER DWG								
	C OF C IS REQUIRED								
140	Receive & Inspect for Damage & Mat'l Certs	0.00							
140	HAND FINISHING THERMOFORMING								
Packaging	Memo	0.00							
Packaging									


SEP 20 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐				
OTHER : ☐									

Work Order ID 166399

Wednesday, September 20, 2017 10:19:57 A

166399

Page 2

Item ID: D3940-1L02 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Floor Protector - Passenger Black
Start Date: 9/21/2017 Start Qty: 1.00 ***1*** Cust Item ID:
Required Date: 9/26/2017 Req'd Qty: 1.00 ***1*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150 *150* QC Quality Control	QC6- All purchased or subcontracted products Memo	0.00 0.00				1			38 3-89 NOV 01 2017
170 *170* Packaging Packaging	Identify as per dwg & Stock Location: _____ Memo	0.00 0.00							
180 *180* QC Quality Control	QC21- Final Inspection - Work Order Release Memo	0.00 0.00							

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐								
		OTHER : _____							

Picklist Print

Wednesday, September 20, 2017 10:20:02 AM

Page 1

Work Order ID: 166399

1663.9.9

Parent Item: D3940-1L02

D3940-11 02

Parent Item Name: Floor Protector - Passenger Black

Start Date: 9/21/2017**Required Date:** 9/26/2017

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev. A color added to D3940-1 14/07/02DL
17.06.13 Now outside process DP Verify DD

IPP Rev.B

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3940-1L02P		Purchased	No			110	Each	0.0000	1	1			
D3940-1L 02P									**				
Floor Protector - Passenger Black													

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐		No Re-verification ☐		Pressure/Forced ☐		Temperature/Cure ☐	
Design ☐		Operator ☐		Bending ☐		Set-up ☐	
Doc/Data ☐		Offset/Setup ☐		Centre Not Concentric ☐		BOM/Route ☐	
Equip/Tooling ☐		Supplier ☐		Cracks ☐		Broken/Damage/Defect ☐	
Handling/Pre ☐		Training ☐		Crimp/Kink/Ripple/Wave ☐		Inspection Incomplete/Unqualified ☐	
Material ☐		Use for Testing ☐		Cuffs ☐		Contamination ☐	
Internal Transport ☐		Poor Information ☐		Crushing ☐		Countersink ☐	
Tribal Knowledge ☐		Rushing ☐		Heat Treat ☐		Cut Too Short ☐	
LOA ☐		Product Improvement ☐		Wave/Twist in Tube ☐		Instructions Incomplete/Unclear ☐	
Substation ☐		Process Improvement ☐		Marks/Chatter ☐		Drill Holes ☐	
Past Expiry Date ☐		Manufacturing Process ☐		OTHER : _____			
Misidentified ☐		Past Due ☐					



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 166399 MD

SEP 20 2017

D3940-1LXX FLOOR PROTECTOR (407)

RELEASED
2014-06-17

NOTES:

- 1) MATERIAL: SEE TABLE
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3940-1LXX" PER DART QSI 044 METHOD 6.4
- 7) WEIGHT: 4.5 lbs
- 8) TOOLING: THERMOFORM PER MOLD DT9502 PER DART QSI 022. TRIM PER MOLD
- 9) MINIMUM THICKNESS: 0.050" EXCEPT AS SHOWN

B

PART NUMBER	DESCRIPTION
D3940-1L02	F8006 SUEDE/POLISHED 701 BLACK LEXAN SHEET 0.125 THICK (REF DART SPEC MLEX.125-F8006-02)
D3940-1L08	90318 PROTECT-A-GLAZE 112 CLEAR LEXAN SHEET 0.118 THICK (REF DART SPEC MLEX.118-90318-08)





B	ADDED D3940-1L02 CONFIGURATION AND RE-IDENTIFIED D3940-1 AS D3940-1L08, REVISED NOTE 1 AND ADDED MATERIAL TABLE.	AK	14.05.30
A	NEW ISSUE	PH	09.04.01
REV.	DESCRIPTION	BY	DATE
DESIGN	AK	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	VS	DRAWING NO.	REV. B
MFG. APPR.	DL	D3940	SHEET 1 OF 2
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	FLOOR PROTECTOR (407)	NTS
DATE	14.05.30	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

APPROVED

8 7 6 5 4 3 2 1

D

D



D3940-1LXX FLOOR PROTECTOR (407)

RELEASED
2014-06-17

APPROVED

DESIGN	AK	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	VS	DRAWING NO.	REV. B
MFG. APPR.	DL	D3940	SHEET 2 OF 2
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	FLOOR PROTECTOR (407)	NTS
DATE	14.05.30	COPYRIGHT © 2009 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

8 7 6 5 4 3 2 1

A

A



Dart Hawkesbury
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

PO37815

Supplier: PLA002-VC
Plas-Tech
115 Applewood Crescent
Concord
ON
L4K 5C1 Canada
Phone: 416-436-0004
Fax: 416-736-0010

PO No: PO37815
PO Date: 9/20/17
Due Date: 10/20/17
**Purchase Order
Revision:**
Revision Date:
Ship-To Contact: Phone:

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Pymt Terms: net 30
Freight Terms:
Special Comments:

Items

Line Item	Part	Rev	Description	Item Tax	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	D3940- 1L02P	-	Floor Protector - Passenger Black DWG REV B		Firmed	10/20/17	1 Ea	0 Ea	1 Ea	\$987.75/Ea	\$987.75
Grand Total:											\$987.75

Order Notes

DWG REV B

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 10/6/17 11:27 AM Dart.Baker.Diane

DA
38
9-8

SP A70-30



115 Applewood Crescent
Concord, ON L4K 5C1
PLASTECHONLINE.COM
P. 416 736 0004
F. 416 736 0010

Packing Slip

Shipment Number: 24869
Shipment Date: 10/05/2017
BOL Number:
Customer Key: C1887
Salesperson: MIKE AUBE
Page Number: 1 of 1

B DART AEROSPACE LTD.
I 1270 ABERDEEN STREET
L HAWKESBURY ON K6A 1K7
L CA
T Attn: ROBERT ABOUD
O

S DART AEROSPACE
H 1270 ABERDEEN STREET
I HAWKESBURY ON K6A 1K7
P CA
T Attn: ROBERT ABOUD
O

Purchase Order
37815
Carrier Account #

Sales Order
SO-020277

Incoterms
EX WORKS

Ship Via
FREIGHTCOM INC. -

Payment Method
PPD/CHG
Tracking Number
1Z39WY872002938360

Item Number - Revision Description

D3940-1L02P - Rev.: B FLOOR PROTECTOR - PASSENGER BLACK
AS PER DWG D3940 REV. B
HS Code: 3920.61.1000 - OTHER Country of Origin : CA

FREIGHT - FREIGHT

Quantity UOM
Shipped

1 EA

1 EA

DAG
38
9-88

Sent 10-30

Number of Containers

Gross Weight

Shipped By

Certificate Of Conformance

COPY

PLAS-TECH
Think Plastics™

Customer: DART AEROSPACE LTD

P.O. # 37815

SO # 020277

Part #		Qty.	<u>1</u>	Batch #	<u>-001</u>
Description		Material usage	<u>1 SHEET</u>	Lot#	<u>B128887</u>
Part #		Qty.		Batch #	
Description		Material usage		Lot#	
Part #		Qty.		Batch #	
Description		Material usage		Lot#	
Part #		Qty.		Batch #	
Description		Material usage		Lot#	
Part #		Qty.		Batch #	
Description		Material usage		Lot#	
Part #		Qty.		Batch #	
Description		Material usage		Lot#	
Part #		Qty.		Batch #	
Description		Material usage		Lot#	

Note: All parts are not identified as meeting QSI044.

By: 
(Approved QA Signatory)

Date: OCT 5, 2017

C OF C # 015

Page: 1 of 1

Plas-Tech Inc. 115 Applewood Cres. Concord, Ontario L4K 5C1 Tel: (416) 736-0004 Fax: (416) 736-0010

Email: info@plasteconline.com, Web: www.plasteconline.com

DART
AEROSPACE
S003723

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K64 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com



Floor Protector – Passenger Black

PART NO: D3940 – 1L02
Revision:
Operation:
Quantity: Packaging
Change No: 1

Mfg Date: 10/30/17
Job No: 166399

COBA